

Listing and Amendments to the Claims:

These claims will replace all prior versions and listings of claims in the application:

1. **(Currently Amended)** A method to facilitate a programming of a control device that comprises a graphics user interface, the method comprising:

enabling a determination of at least one appliance for being user-controlled through the control device;

determining code for graphically representing a controllable feature of the appliance on the graphic user interface of the control device, wherein determining the code includes extracting a device control profile in dependence upon at least one of: a location parameter representing a location of the appliance, a location parameter representing a location of the control device, a location parameter representing a location of a user, a time parameter representing a time of day, a time parameter representing a season of the year, a user profile, and an inventory of appliances of a user; and

communicating the code to the control device for storage at the control device for enabling user-control of the appliance in response to a subsequent user activation of the control device,

wherein determining the code includes accessing an Internet site in dependence upon the determination of the at least one appliance.

2. **(Cancelled)**

3. **(Original)** The method of claim 1, wherein determining the code includes extracting a device control profile from a plurality of device control profiles.

4. **(Cancelled)**

5. **(Original)** The method of claim 1, further including:

communicating appliance control commands to the control device to facilitate the user-control of the appliance.

6. **(Original)** The method of claim 1, further including enabling an editing of the code.

7. **(Original)** The method of claim 1, wherein the determination of at least one appliance includes

providing a sequence of selection options that lead to the determination of the at least one appliance.

8 – 10. **(Cancelled)**

11. **(Currently Amended)** A control device for remotely controlling one or more electronic devices, the control device comprising:

a programmable user interface, and

a receiver that receives user interface code from an Internet site storing interface codes for a plurality of electronic devices, wherein the user interface code is received in dependence upon at least one of: ~~a location parameter, a time parameter, and a user profile~~ a location parameter representing a location of the appliance, a location parameter representing a location of the control device, a location parameter representing a location of a user, a time parameter representing a time of day, a time parameter representing a season of the year, a user profile, and an inventory of appliances of a user,

wherein a programming of the programmable user interface is facilitated by the user interface code; and

wherein the user interface code is for graphically representing a controllable feature of the one or more electronic devices on the user interface.

12. **(Original)** The control device of claim 11, further including an Internet access device.

13 – 17. **(Cancelled)**

18. **(Previously Presented)** The method of Claim 1, wherein the at least one appliance comprises at least one of: a television, a CD player, a DVD player, a computer, a set-top box, a telephone, and a microwave.

19. **(Previously Presented)** The control device of Claim 11, wherein the one or more electronic devices comprise one or more of: a television, a CD player, a DVD player, a computer, a set-top box, a telephone, and a microwave.

20. **(Previously Presented)** The control device of Claim 11, wherein the programmable user interface is programmed to display a plurality of icons used to control at least one of the one or more electronic devices.

21 - 29. **(Cancelled)**